



DA YU 101 K710NA(A) (F 402)


綳縫車直角包邊筒 (插凹單折可調)
Right Angle Binder

標準厚度:		
Standard Thickness:	MH	H


作用: 拉針綫T恤領、袖等
用機: 2或3針拉面車Purpose: Binding of knitwear collar and sleeve.
Machine: 2 or 3 Needle Cover Stitch Machine

入口	出口
3/4"	1/4"
15/16"	5/16"
1-1/8"	3/8"
1-3/16"	7/16"
1-3/8"	1/2"
1-1/2"	9/16"
1-5/8"	5/8"
1-3/4"	11/16"
1-7/8"	3/4"
2-1/8"	7/8"
2-3/8"	1"
2-5/8"	1-1/8"
2-3/4"	1-3/16"
2-7/8"	1-1/4"
3"	1-5/16"
3-1/8"	1-3/8"
3-3/8"	1-1/2"

DA YU 102 K710NA(B) (F 401)


綳縫車直角包邊筒 (插凹雙折可調)
Right Angle Binder

標準厚度:		
Standard Thickness:	MH	H


作用: 拉針織T恤領、袖等
用機: 2或3針拉面車Purpose: Binding of knitwear collar and sleeve.
Machine: 2 or 3 Needle Cover Stitch Machine

入口	出口
1"	1/4"
1-3/16"	5/16"
1-3/8"	3/8"
1-1/2"	7/16"
1-5/8"	1/2"
1-3/4"	9/16"
1-7/8"	5/8"
2"	11/16"
2-1/8"	3/4"
2-3/8"	7/8"
2-3/4"	1"
3"	1-1/8"
3-1/8"	1-3/16"
3-1/4"	1-1/4"
3-3/8"	1-5/16"
3-1/2"	1-3/8"
3-3/4"	1-1/2"

DA YU 103 K712NA(A)


綳縫車直角包邊筒 (平凹單折可調)
Right Angle Binder

標準厚度:		
Standard Thickness:	MH	H


作用: 拉針綫T恤領、袖等
用機: 2或3針拉面車Purpose: Binding of knitwear collar and sleeve.
Machine: 2 or 3 Needle Cover Stitch Machine

入口	出口
3/4"	1/4"
15/16"	5/16"
1-1/8"	3/8"
1-3/16"	7/16"
1-3/8"	1/2"
1-1/2"	9/16"
1-5/8"	5/8"
1-3/4"	11/16"
1-7/8"	3/4"
2-1/8"	7/8"
2-3/8"	1"
2-5/8"	1-1/8"
2-3/4"	1-3/16"
2-7/8"	1-1/4"
3"	1-5/16"
3-1/8"	1-3/8"
3-3/8"	1-1/2"

DA YU 104 K712NA(B)

綳縫車直角包邊筒 (平凹雙折可調)
Right Angle Binder

標準厚度:		
Standard Thickness:	MH	H

作用: 拉針織T恤領、袖等
用機: 2或3針拉面車Purpose: Binding of knitwear collar and sleeve.
Machine: 2 or 3 Needle Cover Stitch Machine

入口	出口
1"	1/4"
1-3/16"	5/16"
1-3/8"	3/8"
1-1/2"	7/16"
1-5/8"	1/2"
1-3/4"	9/16"
1-7/8"	5/8"
2"	11/16"
2-1/8"	3/4"
2-3/8"	7/8"
2-3/4"	1"
3"	1-1/8"
3-1/8"	1-3/16"
3-1/4"	1-1/4"
3-3/8"	1-5/8"
3-1/2"	1-3/8"
3-3/4"	1-1/2"


DA YU 105

 縫紉車直角包邊筒 (插口散口可調)
 Right Angle Binder

 标准厚度:
 Standard Thickness:

MH

H



入口	出口
1/2"	1/4"
5/8"	5/16"
3/4"	3/8"
7/8"	7/16"
1"	1/2"

 作用: 拉橡筋、針織T恤領、袖等
 用機: 2或3針拉口車

 Purpose: Binding of knitwear
 collar and sleeve.(Elastic)
 Machine: 2 or 3 Needle Cover
 Stitch Machine


DA YU 106

 縫紉車直角包邊筒 (平口散口可調)
 Right Angle Binder

 标准厚度:
 Standard Thickness:

MH

H




入口	出口
1/2"	1/4"
5/8"	5/16"
3/4"	3/8"
7/8"	7/16"
1"	1/2"

 作用: 拉橡筋、針織T恤領、袖等
 用機: 2或3針拉口車


 Purpose: Binding of knitwear
 collar and sleeve.(Elastic)
 Machine: 2 or 3 Needle Cover
 Stitch Machine

DA YU 107 F404

 縫紉車直角包邊筒 (插口子母筒單折可調)
 Right Angle Binder with Piping-Loose Bottom

 标准厚度:
 Standard Thickness:

MH

H


 作用: 拉針織T恤領、袖、
 連細條
 用機: 2或3針拉口車

 Purpose: Binding of knitwear
 collar and sleeve
 with piping.
 Machine: 2 or 3 Needle Cover
 Stitch Machine

入口	出口
3/4"	1/4"
15/16"	5/16"
1-1/8"	3/8"
1-3/16"	7/16"
1-3/8"	1/2"
1-1/2"	9/16"
1-5/8"	5/8"
1-3/4"	11/16"
1-7/8"	3/4"
2-1/8"	7/8"
2-3/8"	1"


DA YU 108 F403

 縫紉車直角包邊筒 (插口子母筒雙折可調)
 Right Angle Binder with Piping

 标准厚度:
 Standard Thickness:

MH

H




 作用: 拉針織T恤領、袖、
 連細條
 用機: 2或3針拉口車

 Purpose: Binding of knitwear
 collar and sleeve
 with piping .
 Machine: 2 or 3 Needle Cover
 Stitch Machine

入口	出口
1"	1/4"
1-3/16"	5/16"
1-3/8"	3/8"
1-1/2"	7/16"
1-5/8"	1/2"
1-3/4"	9/16"
1-7/8"	5/8"
2"	11/16"
2-1/8"	3/4"
2-3/8"	7/8"
2-3/4"	1"

DA YU 109

綳縫車直角包邊筒 (平冚字母筒單折可調)
Right Angle Binder with Piping-Loose Bottom



作用：拉針織T恤領、袖、連細條
用機：2或3針拉冚車

Purpose: Binding of knitwear collar and sleeve with piping.



Machine: 2 or 3 Needle Cover Stitch Machine

標準厚度:		
Standard Thickness:	MH	H

入口	出口
3/4"	1/4"
15/16"	5/16"
1-1/8"	3/8"
1-3/16"	7/16"
1-3/8"	1/2"
1-1/2"	9/16"
1-5/8"	5/8"
1-3/4"	11/16"
1-7/8"	3/4"
2-1/8"	7/8"
2-3/8"	1"

DA YU 110

綳縫車直角包邊筒 (平冚字母筒雙折可調)
Right Angle Binder with Piping



作用：拉針織T恤領、袖、連細條
用機：2或3針拉冚車

Purpose: Binding of knitwear collar and sleeve with piping.



Machine: 2 or 3 Needle Cover Stitch Machine

標準厚度:		
Standard Thickness:	MH	H

入口	出口
1"	1/4"
1-3/16"	5/16"
1-3/8"	3/8"
1-1/2"	7/16"
1-5/8"	1/2"
1-3/4"	9/16"
1-7/8"	5/8"
2"	11/16"
2-1/8"	3/4"
2-3/8"	7/8"
2-3/4"	1"

DA YU 111

綳縫車直角包邊筒 (插冚落橡筋單折可調)
Right Angle Binder For Swim Wear



作用：包橡筋、泳衣、內褲
用機：2或3針拉冚車



Purpose: By Inserted Elastic
Machine: 2 or 3 Needle Cover Stitch Machine

標準厚度:		
Standard Thickness:	H	MH

入口	出口
15/16"	5/16"
1-1/8"	3/8"
1-3/8"	1/2"
1-5/8"	5/8"

DA YU 112

綳縫車直角包邊筒 (插冚落橡筋雙折可調)
Right Angle Binder For Swim Wear



作用：包橡筋、泳衣、內褲
用機：2或3針拉冚車

Purpose: By Inserted Elastic
Machine: 2 or 3 Needle Cover Stitch Machine

標準厚度:		
Standard Thickness:	H	MH

入口	出口
1-1/4"	5/16"
1-1/2"	3/8"
1-3/4"	1/2"
2"	5/8"


DA YU 113

綑縫車直角包邊筒 (平凸落橡筋單折可調)
Right Angle Binder For Swim Wear



標準厚度:
Standard Thickness:

H MH



入口	出口
15/16"	5/16"
1-1/8"	3/8"
1-3/8"	1/2"
1-5/8"	5/8"

作用: 包橡筋、泳衣、內褲
用機: 2或3針拉弓車

Purpose: By Inserted Elastic
Machine: 2 or 3 Needle Cover
Stitch Machine


DA YU 114

綑縫車直角包邊筒 (平凸落橡筋雙折可調)
Right Angle Binder For Swim Wear



標準厚度:
Standard Thickness:

H MH




入口	出口
1-1/4"	5/16"
1-1/2"	3/8"
1-3/4"	1/2"
2"	5/8"

作用: 包橡筋、泳衣、內褲
用機: 2或3針拉弓車

Purpose: By Inserted Elastic
Machine: 2 or 3 Needle Cover
Stitch Machine


DA YU 115

長插單折可調
Right Angle Binder



標準厚度:
Standard Thickness:

MH H



作用: 拉針織T恤領、袖等
用機: 2或3針拉弓車

Purpose: Binding of knitwear
collar and sleeve.
Machine: 2 or 3 Needle Cover
Stitch Machine

入口	出口
3/4"	1/4"
15/16"	5/16"
1-1/8"	3/8"
1-3/8"	1/2"
1-5/8"	5/8"
1-7/8"	3/4"
2-1/8"	7/8"
2-3/8"	1"


DA YU 116

長插雙折可調
Right Angle Binder



標準厚度:
Standard Thickness:

MH H




作用: 拉針織T恤領、袖等
用機: 銀箭、弓車

Purpose: Binding of knitwear
collar and sleeve.
Machine: Siruba
C007E-W-222-356CQ


入口	出口
1"	1/4"
1-1/4"	5/16"
1-1/2"	3/8"
1-3/4"	1/2"
2"	5/8"
2-1/4"	3/4"
2-1/2"	7/8"
2-3/4"	1"

DA YU 117

綳縫車直角包邊筒 (平凹單折)
Right Angle Binder



標準厚度: Standard Thickness:	MH	H
------------------------------	----	---



作用: 拉針織T恤領、袖等
用機: 2或3針拉車


Purpose: Binding of knitwear collar and sleeve.

Machine: 2 or 3 Needle Cover Stitch Machine


入口
20mm
25mm
30mm
35mm
40mm
45mm
50mm
55mm
60mm
65mm
70mm

DA YU 118

綳縫車直角包邊筒 (平凹雙折)
Right Angle Binder



標準厚度: Standard Thickness:	MH	H
------------------------------	----	---



作用: 拉針織 恤領、袖等
用機: 2或3針拉車


Purpose: Binding of knitwear collar and sleeve.

Machine: 2 or 3 Needle Cover Stitch Machine


入口
20mm
25mm
30mm
35mm
40mm
45mm
50mm
55mm
60mm
65mm
70mm

DA YU 119 A10/S60

平車直角包邊筒
Right Angle Bias Binder



標準厚度: Standard Thickness:	M	MH
------------------------------	---	----



作用: 細彎布邊
用機: 單針平車


Purpose: Binding of curve edge

Machine: 1 Needle Lockstitch Machine


入口
16mm
18mm
20mm
22mm
24mm
26mm
28mm
30mm
32mm
34mm
36mm
38mm
40mm
45mm
50mm

DA YU 120 K10

平車直角包邊筒 (活動可調)
Right Angle Bias Binder



標準厚度: Standard Thickness:	M	MH
------------------------------	---	----



作用: 細彎布邊
用機: 單針平車



Purpose: Binding of curve edge

Machine: 1 Needle Lockstitch Machine

入口
18mm
20mm
22mm
24mm
26mm
28mm
30mm
32mm
34mm
36mm
38mm
40mm
42mm
45mm
50mm

DA YU 121 A4/100

散口曲咀包邊筒
Edge Binder



作用：包硬身布料等
用機：單針平車



Purpose: Binding of curve edge
Machine: 1 Needle Lockstitch Machine

标准厚度： Standard Thickness:	M	MH	H
------------------------------	---	----	---

入口	出口
3/8"	3/16"
1/2"	1/4"
5/8"	5/16"
3/4"	3/8"
7/8"	7/16"
1"	1/2"
1-1/8"	9/16"
1-1/4"	5/8"
1-3/8"	11/16"
1-1/2"	3/4"

DA YU 122 AT18

平車直角包邊筒（散口）
Right Angle Bias Binder



作用：薄物、皮革物料合用
用機：單針平車



Purpose: Thin Light Material
Machine: 1 Needle Lockstitch Machine

标准厚度： Standard Thickness:	MH
------------------------------	----

入口	出口
18mm	9mm

DA YU 123 A9/508

曲咀包邊筒（環口）
Plain Bias Binder



作用：細邊
用機：單針平車



Purpose: Binding edge
Machine: 1 Needle Lockstitch Machine

标准厚度： Standard Thickness:	M	MH
------------------------------	---	----

入口	出口
3/4"	3/16"
1"	1/4"
1-1/4"	5/16"
1-1/2"	3/8"
1-3/4"	1/2"
2"	5/8"

DA YU 124

曲咀包邊筒（散口）
Braid or Tape Binder




作用：拉皮革塑膠織帶
用機：單針平車

Purpose: Edge Binder (Leather)
Machine: 1-Needle Lockstitch Machine


标准厚度： Standard Thickness:	M	MH	H
------------------------------	---	----	---

入口	出口
1/2"	1/4"
5/8"	5/16"
3/4"	3/8"
7/8"	7/16"
1"	1/2"
1-1/8"	9/16"
1-1/4"	5/8"
1-3/8"	11/16"
1-1/2"	3/4"

DA YU 125
 散口包邊筒 (平車用)
 Right Angle Bias Binder

 标准厚度:
 Standard Thickness:

MH


H


 作用: 細彎布邊
 用機: 單針平車

 Purpose: Binding of curve edge.
 Machine: 1 Needle Lockstitch Machine


入口

12mm
14mm
15mm
16mm
18mm
20mm
22mm
24mm
25mm
26mm
28mm
30mm
32mm

DA YU 126 S64 (F531)
 平車直角包邊筒 (散口)
 Right Angle Bias Binder

 标准厚度:
 Standard Thickness:

MH


H


 作用: 細彎布邊
 用機: 單針平車

 Purpose: Binding of curve edge.
 Machine: 1 Needle Lockstitch Machine

入口


12mm
14mm
15mm
16mm
18mm
20mm
22mm
24mm
25mm
26mm
28mm
30mm
32mm

DA YU 127 (F219)
 側袖筒
 Sleeve Placket Binder

 标准厚度:
 Standard Thickness:

M

MH

H


 作用: 縫袖側
 用機: 單針平車

 Purpose: Attach sleeve placket.
 Machine: 1 Needle Lockstitch Machine

入口

3/4"	3/16"
1"	1/4"
1-1/8"	5/16"
1-1/4"	3/8"
1-3/8"	7/16"
1-5/8"	1/2"
1-7/8"	5/8"
2-1/4"	3/4"
2-1/2"	7/8"
2-3/4"	1"


DA YU 128
 拉帶器
 Belt Folder

 标准厚度:
 Standard Thickness:

M

MH

H




 作用: 車帶
 用機: 單針及雙針車合用

 Purpose: Belt Sewing.
 Machine: For Single Needle & Double Machine

入口

3/4"	3/16"
1"	1/4"
1-1/8"	5/16"
1-1/4"	3/8"
1-3/8"	7/16"
1-5/8"	1/2"
1-7/8"	5/8"
2-1/4"	3/4"
2-1/2"	7/8"
2-3/4"	1"

DA YU 129

 飛馬包縫車包邊筒
 Edge Binder for Pegasus Overlock Machine

 标准厚度:
 Standard Thickness: M


作用：口袋邊包縫


用機：飛馬L22-0E

 Purpose: Pocket Binding
 Machine: Pegasus L22

入口
22mm
24mm
26mm
28mm

DA YU 130

 祖奇包縫車包邊筒（散口）
 Edge Binder for JUKI Overlock Machine

 标准厚度:
 Standard Thickness: M



作用：細布邊

用機：祖奇包縫車

入口
1/2"

DA YU 131

 祖奇包縫車包邊筒
 Edge Binder for Pegasus Overlock Machine



 标准厚度:
 Standard Thickness: M


作用：細布邊

用機：祖奇包縫車

入口
22mm
24mm
26mm
28mm


DA YU 132

 散口鞋邊包邊筒
 Single Needle Binders (for Shoes)

 标准厚度:
 Standard Thickness: H XH

 作用：厚物、皮革及塑膠材料用
 用機：單針平車


 Purpose: For Thick Leather and
 Rubber Material
 Machine: 1 Needle Lockstitch Machine

入口
1/2"
5/8"
3/4"
7/8"
1"

DA YU 133 (F516)


耳仔筒
Loop Folder标准厚度:
Standard Thickness:

MH H


作用: 車耳仔、帶
用機: 單針平車Purpose: Loop, belt sewing.
Machine: 1 Needle Lockstitch
Machine

入口	出口
3/4"	3/16"
1"	1/4"
1-1/4"	5/16"
1-1/2"	3/8"

DA YU 134 (F515)


平車靴頭筒
Loop Folder Foot标准厚度:
Standard Thickness:

M MH


作用: 車耳仔
用機: 單針平車Purpose: Loop sewing.
Machine: 1 Needle Lockstitch
Machine

入口	出口
1/2"	1/8"
3/4"	3/16"
1"	1/4"
1-1/4"	5/16"

DA YU 135 (AT8)


平車皮革包邊器 (散口)
Edge Binder for Single Needle Machine标准厚度:
Standard Thickness:

M


作用: 薄物、薄皮革及
塑膠材料用
用機: 單針車Purpose: Thin Light Material
Machine: 1-Needle Lockstitch
Machine

入口
8mm
10mm
12mm
14mm
16mm
18mm
20mm
22mm

DA YU 136 (AT8)

平車皮革包邊器 (面環底散)
Edge Binder for Single Needle Machine标准厚度:
Standard Thickness:


M

作用: 薄物、薄皮革及
塑膠材料用
用機: 單針車Purpose: Thin Light Material
Machine: 1-Needle Lockstitch
Machine


入口
12mm
14mm
16mm
18mm
20mm
22mm
24mm
26mm

DA YU 137 (AT8)

平車皮革包邊器 (雙環)
Edge Binder for Single Needle Machine



標準厚度:
Standard Thickness: M




作用: 薄物、薄皮革及
塑膠材料用
用機: 單針車

Purpose: Thin Light Material
Machine: 1-Needle Lockstitch
Machine


入口
18mm
20mm
22mm
24mm
26mm
28mm
30mm
32mm

DA YU 138 (335)

細咀包邊筒 (散口)
Binder for Small-sized Cylinder Bed Machine



標準厚度:
Standard Thickness: M MH H



作用: 細彎料
用機: 筒形單針車

Purpose: Curve Edge Binder
Machine: Cylinder-Bed
Machine


入口
10mm
12mm
13mm
14mm
15mm
16mm
18mm
20mm
22mm
24mm
26mm
28mm

DA YU 139 (335)

細咀包邊筒 (面環底散)
Edge Binder for Single Needle Machine



標準厚度:
Standard Thickness: M MH H




作用: 細彎料
用機: 筒形單針車

Purpose: Curve Edge Binder
Machine: Cylinder-Bed
Machine


入口
18mm
20mm
22mm
24mm
26mm
28mm

DA YU 140 (335)

細咀包邊筒 (雙環)
Binder for Small-sized Cylinder Bed Machine



標準厚度:
Standard Thickness: M MH H



作用: 細彎料
用機: 筒形單針車

Purpose: Curve Edge Binder
Machine: Cylinder-Bed
Machine

入口
18mm
20mm
22mm
24mm
26mm
28mm
30mm
32mm

DA YU 141 (F301)

褲頭筒


Waist Band Folder



标准厚度:

Standard Thickness:

MH	H	XH
----	---	----



作用: 縫折褲頭, 裙頭 (沒有朴)

用機: 2 或 4 針褲頭車

Purpose: Binding of waist band (without lining).

Machine: 2 or 4 Needle Wsist Band Machine

入口	出口
2-3/4"	1"
3"	1-1/8"
3-1/8"	1-3/16"
3-1/4"	1-1/4"
3-1/2"	1-3/8"
3-3/4"	1-1/2"
4"	1-1/2"
4"	1-5/8"
4-1/4"	1-3/4"
4-1/2"	1-7/8"
4-3/4"	2"

DA YU 142 (F302)

褲頭筒有朴


Waist Band Folder With Lining



标准厚度:

Standard Thickness:

MH	H	XH
----	---	----



作用: 縫折褲頭, 裙頭 (有朴)

用機: 2 或 4 針褲頭車

Purpose: Hemming waist band with elastic.

Machine: 2, 3, 4 Needle Elastic Machine

入口	出口
2-3/4"	1"
3"	1-1/8"
3-1/8"	1-3/16"
3-1/4"	1-1/4"
3-1/2"	1-3/8"
3-3/4"	1-1/2"
4"	1-1/2"
4"	1-5/8"
4-1/4"	1-3/4"
4-1/2"	1-7/8"
4-3/4"	2"

DA YU 143 (F303)

散底褲頭筒


Waist Band Folder



标准厚度:

Standard Thickness:

MH	H	XH
----	---	----



作用: 縫折褲頭, 裙頭 (散底, 沒有朴)

用機: 2或4針褲頭車

Purpose: Binding of waist band (loose bottom, without lining)

Machine: 2 or 4 Needle Waist Band Machine

入口	出口
2-3/4"	1"
3"	1-1/8"
3-1/8"	1-3/16"
3-1/4"	1-1/4"
3-1/2"	1-3/8"
3-3/4"	1-1/2"
4"	1-5/8"
4-1/4"	1-3/4"
4-1/2"	1-7/8"
4-3/4"	2"

DA YU 144 (F304)

散底褲頭筒有朴


Waist Band Folder With Lining



标准厚度:

Standard Thickness:

MH	H	XH
----	---	----



作用: 縫折褲頭, 裙頭 (散底, 有朴)


用機: 2或4針褲頭車

Purpose: Binding of waist band (loose bottom, with lining)


Machine: 2 or 4 Needle Waist Band Machine

入口	出口
2-3/4"	1"
3"	1-1/8"
3-1/8"	1-3/16"
3-1/4"	1-1/4"
3-1/2"	1-3/8"
3-3/4"	1-1/2"
4"	1-5/8"
4-1/4"	1-3/4"
4-1/2"	1-7/8"
4-3/4"	2"

DA YU 145

人字縫包邊筒 (散口)
Edge Binder (for Zigzag Sewing)


标准厚度: Standard Thickness:	M	MH
------------------------------	---	----




用機：勝家人字車
Machine: Singer Zigzag Needle Plate

入口	出口
1/2"	1/4"
5/8"	5/16"

DA YU 146

人字縫包邊筒 (面環底散)
Edge Binder (for Zigzag Sewing)


标准厚度: Standard Thickness:	M	MH
------------------------------	---	----




用機：勝家人字車
Machine: Singer Zigzag Needle Plate

入口	出口
1/2"	3/16"
3/4"	1/4"

DA YU 147

人字縫包邊筒 (雙環)
Edge Binder (for Zigzag Sewing)


标准厚度: Standard Thickness:	M	MH
------------------------------	---	----




用機：勝家人字車
Machine: Singer Zigzag Needle Plate

入口	出口
3/4"	3/16"
1"	1/4"

DA YU 148

通心暗綫縫拉帶器
Spaghetti Attachment

标准厚度: Standard Thickness:	M	MH
------------------------------	---	----




作用：車暗綫耳仔筒
用機：單針平車

Purpose: Make spaghetti like tube
Machine: 1 Needle Lockstitch Machine

入口	出口
1/2"	1/8"
3/4"	3/16"
1"	1/4"
2/8"	5/16"
1-3/8"	3/8"
1-1/2"	1/2"


DA YU 149

大筒筒型車懸挂式包邊筒（散口）
Suspended Binder for Large-sized Cylinder Bed Machine



标准厚度：
Standard Thickness:

H	XH
---	----




作用：皮革、塑膠
用機：筒型大咀單針車用

Purpose: Leather Plastic
Machine: For Chlinder Bed

入口
5/8"
3/4"
7/8"
1"
1-1/8"
1-1/4"
1-3/8"
1-1/2"


DA YU 150

大筒筒型車懸挂式包邊筒（環口）
Suspended Binder for Large-sized Cylinder Bed Machine



标准厚度：
Standard Thickness:

MH




作用：皮革、塑膠
用機：筒型大咀單針車用

Purpose: Leather Plastic
Machine: For Chlinder Bed

入口	出口
1"	1/4"
1-1/4"	5/16"
1-1/2"	3/8"


DA YU 151

大筒筒型車包邊筒（散口）
Binder for Large-sized Cylinder Bed Machine



标准厚度：
Standard Thickness:


H	XH
---	----



入口
5/8"
3/4"
7/8"
1"


DA YU 152

大筒筒型車包邊筒（環口）
Binder for Large-sized Cylinder Bed Machine



标准厚度：
Standard Thickness:



H	XH
---	----



入口	出口
1"	1/4"
1-1/4"	5/16"
1-1/4"	3/8"

DA YU 153 F537

折帶貼拉筒
Plait Folder



入口	出口
1-1/2"	1/2"
2"	5/8"
2-1/4"	3/4"
2-1/2"	7/8"
2-3/4"	1"
3"	1-1/8"



作用：摺帶貼，如袖側
用機：熱壓軋機

Purpose: Fold plait e.g.
sleeve placket.
Machine: Roller Press

標準厚度：
Standard Thickness: MH

DA YU 154 F538

三尖側貼筒
Triangular Sleeve Placket Folder



入口	出口
2-1/4"	3/4"
2-1/2"	7/8"
2-3/4"	1"
3"	1-1/8"


作用：折三尖側貼
用機：熱壓軋機

Purpose: Fold triangular
sleeve placket.
Machine: Hot Roll Machine

標準厚度：
Standard Thickness: MH H

DA YU 155 F305

封咀褲頭筒
Waist Band Folder



入口	出口
3"	1-1/8"
3-1/8"	1-3/16"
3-1/2"	1-1/4"
3-3/4"	1-3/8"
4"	1-1/2"
4-1/4"	1-5/8"
4-1/2"	1-3/4"
4-3/4"	1-7/8"
5"	2"



作用：在車縫前，可
先將褲頭內折
用機：勝嘉褲頭車

Purpose: Close end of waist
before stitching.
Machine: Singer Waist Band
Machine

標準厚度：
Standard Thickness: M MH

DA YU 156 F306

封咀褲頭筒（散底）
Waist Band Folder



入口	出口
3"	1-1/8"
3-1/8"	1-3/16"
3-1/2"	1-1/4"
3-3/4"	1-3/8"
4"	1-1/2"
4-1/4"	1-5/8"
4-1/2"	1-3/4"
4-3/4"	1-7/8"
5"	2"



作用：在車縫前，可
先將褲頭內折，
（散底，有朴）
用機：勝嘉褲頭車

Purpose: Close end of waist
before stitching.
(loose bottom, with
lining)
Machine: Singer Waist Band
Machine

標準厚度：
Standard Thickness: H XH

DA YU 157 F220

細條袖口筒
Placket Binder with Piping



作用：女恤側袖，睡
衣袖筒及褲頭
用有細條
用機：單針平車




Purpose: Blouse sleeve
placket. Pyjama
cuff placket and
waist band with
piping.
Machine: 1 Needle Lockstitch
Machine

標準厚度： Standard Thickness:	M	MH
------------------------------	---	----

入口	出口
2-3/4"	1"
3"	1-1/8"
3-1/8"	1-3/16"
3-1/4"	1-1/4"
3-1/2"	1-3/8"
3-3/4"	1-1/2"
4"	1-5/8"
4-1/2"	1-3/4"

DA YU 158 F218

單針接袖器（單針車用）
Single Needle Sleeve Attachment (Single Needle Operation)



標準厚度： Standard Thickness:	M	MH
------------------------------	---	----



作用：單針袖
用機：單針平車

Purpose: Single Needle Sleeve
Machine: 1 Needle Lockstitch
Machine

出口
1/4"
5/16"
3/8"

DA YU 159 F535

暗綫耳仔筒
Spaghetti Attachment



作用：車暗綫耳仔筒
用機：單針平車



Purpose: Make spaghetti like
tube.
Machine: 1 Needle Lockstitch
Machine

標準厚度： Standard Thickness:	M
------------------------------	---

入口	出口
3/4"	1/8"
1"	3/16"
1-1/8"	1/4"
1-3/8"	5/16"
1-1/2"	3/8"
1-3/4"	1/2"

DA YU 160 F536

厚料直角包邊筒（散口）
Right Angle Bias Binder



作用：細彎布邊
用機：單針平車


Purpose: Binding of curve
edge.
Machine: 1 Needle Lockstitch
Machine

標準厚度： Standard Thickness:	H	XH
------------------------------	---	----

入口
12mm
14mm
15mm
16mm
18mm
20mm
22mm
24mm
25mm
26mm
28mm
30mm
32mm

DA YU 161

平車直角包邊筒 (面環底散)
Right Angle Bias Binder



作用：細彎布邊

用機：單針平車


Purpose: Binding of curve edge

Machine: 1 Needle Lockstitch Machine

入口
18mm
20mm
22mm
24mm
26mm
28mm
30mm
32mm

DA YU 162

綑縫車直角包邊筒 (散口插)
Right Angle Bias Binder



作用：拉橡筋、針織T恤領、袖等

用機：2或3針拉冚車

Purpose: Binding of knitwear



collar and sleeve.(Elastic)

Machine: 2 or 3 Needle Cover
Stitch Machine

入口
12mm
14mm
16mm
18mm
20mm
22mm
24mm
26mm

DA YU 163

胸罩包邊器
Brassiere Edge Binder



作用：在車縫前，可

先將褲頭內折

用機：勝嘉褲頭車



Purpose: Close end of waist
before stitching.

Machine: Singer Waist Band
Machine

出口
5.2mm
6.4mm
8mm

DA YU 164

包鋼綫貼邊器
Bra Underwire Support Attachment




B Type

入口 Tape Size: 1-1/2"

出口 Finished Size: 3/8"

襯裡 Lining: 3/4"

針距 Needle Space: 1/4"



A Type



入口 Tape Size: 1-1/8"

出口 Finished Size: 3/8"

針距 Needle Space: 1/4"

DA YU 165



橡筋包邊筒（散口）



入口
12mm
13mm
14mm
15mm
16mm
17mm
18mm
19mm
20mm
21mm
22mm
23mm
24mm
25mm

DA YU 166



平車包邊筒（雙環）



入口
20mm
22mm
24mm
25mm
26mm
28mm
30mm
32mm
34mm
35mm
36mm
40mm
45mm
50mm

DA YU 167 (MS325)

褲頭筒
Waist Band Folder





入口	出口
90mm	35mm
95mm	37.5mm
100mm	40mm
105mm	42.5mm
110mm	45mm
115mm	47.5mm
120mm	50mm

作用：縫折褲頭，裙頭（沒有朴）
用機：2 或 4 針褲頭車

Purpose: Binding of waist band (without lining).
Machine: 2 or 4 Needle Wsist Band Machine

DA YU 168 A9(508)

曲咀包邊筒（環口）
Plain Bias Binder



作用：綑邊
用機：單針平車

标准厚度：
Standard Thickness:



M MH

Purpose: Binding edge
Machine: 1 Needle Lochstitch Machine

入口
3/8"
1/2"
5/8"
3/4"
7/8"
1"
1-1/8"
1-1/4"
1-3/8"
1-1/2"
1-5/8"
1-3/4"
1-7/8"
2"

DA YU 169

橡筋花邊筒



作用：細彎布邊

用機：單針平車



Purpose: Binding of curve edge

Machine: 1 Needle Lockstitch Machine

入口
15mm
16mm
17mm
18mm
19mm
20mm
21mm
22mm

DA YU 170

平車包邊筒（面環底散）



作用：細彎布邊

用機：單針平車

Purpose: Binding of curve edge


Machine: 1 Needle Lockstitch Machine

標準厚度：		
Standard Thickness:	MH	H

入口
20mm
25mm
30mm
35mm
40mm
45mm
50mm
55mm
60mm
65mm
70mm

DA YU 171

平車包邊筒（雙環）



作用：細彎布邊

用機：單針平車



Purpose: Binding of curve edge

Machine: 1 Needle Lockstitch Machine

標準厚度：		
Standard Thickness:	MH	H

入口
20mm
25mm
30mm
35mm
40mm
45mm
50mm
55mm
60mm
65mm
70mm

DA YU 201 A75U

 散口拉脚筒
 Single Up Turn Folder

 作用：一般上折布邊，如領下級
 用機：單針平車

 Purpose: Single up turn folding of
 general purpose e.g.
 collar band bottom.


Machine: 1 Needle Lockstitch Machine

標準厚度：			
Standard Thickness:	M	MH	H


規格
3/16"
1/4"
5/16"
3/8"
1/2"
5/8"
3/4"
7/8"
1"

DA YU 202 U12

雨傘筒
Twin Plain Hemmer



标准厚度:
Standard Thickness: M




规格
2.5X3
3X3.5
3.5X4
4X5

作用: 拉傘邊
用機: 單針平車


Purpose: Umbrella Edge Hemmer
Machine: 1-Needle Lock Stitch Machine

DA YU 203 A11/S72L

拉脚筒
Swing Hemmer



标准厚度:
Standard Thickness: M MH H




作用: 一般直折邊用
用機: 單針平車

Purpose: General straight hemming
Machine: 1 Needle Lochstitch Machine


规格	
1/8"	1-1/8"
3/16"	1-3/16"
1/4"	1-1/4"
5/16"	1-3/8"
3/8"	1-1/2"
7/16"	1-5/8"
1/2"	1-3/4"
9/16"	1-7/8"
5/8"	2"
11/16"	
3/4"	
13/16"	
7/8"	
1"	

DA YU 204 A70/S70

擺動式彈弓咀卷邊器
Spring Type Swing Hemmer



标准厚度:
Standard Thickness: M MH H




作用: 折邊用, 筒咀有彈性,
能容許厚骨通過
用機: 單針平車

Purpose: General hemming spring socket allows cross seam pass
Machine: 1 Needle Lochstitch Machine


规格
1/8"
3/16"
1/4"
5/16"
3/8"
1/2"
5/8"

DA YU 205

活動凹脚筒
Adjustable Cloth Guide



标准厚度:
Standard Thickness: MH H



作用: 拉針織T恤下擺
用機: 2或3針拉凹車


Purpose: Binding of knitwear collar
Machine: 2 or 3 Needle Cover Stitch Machine

DA YU 206 F224

袖口接縫器 (鷄英)
Cuff Setter

标准厚度:	M
Standard Thickness:	


袖 Sleeve




袖口 Cuff

作用: 上袖口
用機: 單針平車Purpose: Attach cuff to sleeve.
Machine: 1 Needle Lockstitch Machine

DA YU 207


綑縫車折邊器
Single Down-turn Folder for Covering Stitch

标准厚度:	M	MH
Standard Thickness:		


作用: 拉針綫T恤領、袖等
用機: 2 或 3 針拉車Purpose: Binding of knitwear collar and sleeve.
Machine: 2 or 3 Needle Cover Stitch Machine

出口
3/8"
1/2"
5/8"
3/4"
7/8"
1"
1-1/8"
1-1/4"
1-3/8"
1-1/2"

DA YU 208 F204

假返明筒
Immtiation Folder

标准厚度:	MH	H	XH
Standard Thickness:			



作用: 男女衫前胸明筒—有朴


用機: 2 或 4 針筒車

Purpose: Top center plait of shirt and blouse - with lining.


Machine: 2 or 4 Needle Placket Machine

出口
1"
1-1/8"
1-3/16"
1-1/4"
1-3/8"
1-1/2"
1-5/8"

DA YU 209

褲子腰部包松緊帶卷邊器 (綑縫車用)
Down Turn Elastic Hemmer for Covering Stitch

标准厚度:	M	MH	H
Standard Thickness:			



用機: 2 或 3 針拉車

Machine: 2 or 3 Needle Cover Stitch Machine

出口
1/4"
3/8"
1/2"